



—— A JOINT VENTURE ——

INTRODUCING NEW RANGE OF ELECTRIC 2-WHEELERS



India's first EV-2W with
Fire Suppressant Inside

Over 500 sales & service centres
across the country

EV maintenance
training hub

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	60 Volt (28AH Lead / 28 AH Lithium)
	Range	80-90 Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
Repair switch, parking mode, buzzer, reverse gear, side foot rest, foot mat, remote, alert and chrome mirror		
Dimensions & Capacity	Net Weight	100 Kgs
	Carrying Capacity	180 kg (for smooth roads)
	Length, Width, Height	1850 mm, 750mm, 1280 mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lead-acid, Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	15 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 3.00-10 / Rear 3.00-10
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front Disc & Rear Disc

BLOSSOM



ON ROAD PRICE WITH GST

Li-ion Rs. 74,368

Lead Acid Rs. 56,811



DANGUS PRO

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	60 Volt (28AH Lead / 28 AH Lithium)
	Range	70-80 Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
Repair switch, parking mode, buzzer, reverse gear, foot mat, remote, alert and chrome mirror		
Dimensions & Capacity	Net Weight	80 Kgs
	Carrying Capacity	150 kg (for smooth roads)
	Length, Width, Height	1700 mm, 650mm, 1100 mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lead-acid, Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	12 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 3.00-10 / Rear 3.00-10
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front Disc & Rear Disc

ON ROAD PRICE WITH GST

Li-ion Rs. 70,938

Lead Acid Rs. 53,382

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	60 Volt (28AH Lead / 28AH Lithium)
	Range	80-100 Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
	Repair switch, parking mode, buzzer, reverse gear, foot mat, remote, alert and chrome mirror	
Dimensions & Capacity	Net Weight	80 Kgs
	Carrying Capacity	180 kg (for smooth roads)
	Length, Width, Height	1850 mm, 730mm, 1320 mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lead-acid, Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	12 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 3.00-10 / Rear 3.00-10
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front Disc & Rear Drum

DANGUS



ON ROAD PRICE WITH GST

Li-ion Rs. 74,368

Lead Acid Rs. 56,811



DANGUS PLUS

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	60 Volt (28AH LEAD/28AH LITHIUM)
	Range	70-80 Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
	Repair switch, parking mode, buzzer, reverse gear, foot mat, remote, alert and mirror	
Dimensions & Capacity	Net Weight	100 Kgs
	Carrying Capacity	180 kg (for smooth roads)
	Length, Width, Height	1850 mm, 730mm, 1280mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lead-acid, Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	12 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 3.00-10 / Rear 3.00-10
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front Disc & Rear Disc

ON ROAD PRICE WITH GST

Li-ion Rs. 78,270

Lead Acid Rs. 60,713

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	60 Volt (28AH Lead/28AH Lithium)
	Range	80-90 Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
Repair switch, parking mode, buzzer, reverse gear, foot mat, remote, alert and chrome mirror		
Dimensions & Capacity	Carrying Capacity	180 kg (for smooth roads)
	Length, Width, Height	1850 mm, 730mm, 1280mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lead-acid, Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	12 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 3.00-10 / Rear 3.00-10
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front Disc & Rear Disc

GLIDE



ON ROAD PRICE WITH GST

Li-ion Rs. 75,195

Lead Acid Rs. 57,639



VELOX PRO

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	60 Volt (28AH Lead/28AH Lithium)
	Range	80-90Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
Repair switch, parking mode, buzzer, reverse gear, side foot rest, foot mat, remote, alert and chrome mirror		
Dimensions & Capacity	Carrying Capacity	180 kg (for smooth roads)
	Length, Width, Height	1830 mm, 730mm, 1372mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lead-acid, Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	12 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 3.00-10 / Rear 3.00-10
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front disc & Rear disc

ON ROAD PRICE WITH GST

Li-ion Rs. 76,023

Lead Acid Rs. 58,466

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	60 Volt (28AH Lead/28AH Lithium)
	Range	60-80 Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
Repair switch, parking mode, buzzer, reverse gear, side foot rest, foot mat, remote, alert and chrome mirror		
Dimensions & Capacity	Net Weight	90 Kgs
	Carrying Capacity	180 kg (for smooth roads)
	Length, Width, Height	1830 mm, 730mm, 1372mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lead-acid, Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	12 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 3.00-10/ Rear 3.00-10
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front Disc & Rear Disc

VELOX



ON ROAD PRICE WITH GST

Li-ion Rs. 90,093

Lead Acid Rs. 72,536



VELOX PLUS

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	60 Volt/72 Volt (28AH Lead/28AH Lithium)
	Range	60-80 Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
Repair switch, parking mode, buzzer, reverse gear, side foot rest, foot mat, remote, alert and chrome mirror		
Dimensions & Capacity	Carrying Capacity	160 kg (for smooth roads)
	Length, Width, Height	1850 mm, 730mm, 1280mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lead-acid, Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	12 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 90-90-12 / Rear 90-90-12
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front disc & Rear disc

ON ROAD PRICE WITH GST

Li-ion Rs. 96,240

Lead Acid Rs. 78,684

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	60 Volt (28AH Lead/28AH Lithium)
	Range	60-80 Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
	Repair switch, parking mode, buzzer, reverse gear, side foot rest, foot mat, remote, alert and chrome mirror	
Dimensions & Capacity	Net Weight	90 Kgs
	Carrying Capacity	160 kg (for smooth roads)
	Length, Width, Height	1850 mm, 730mm, 1280mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lead-acid, Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	12 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 90-100-10 / Rear 90-100-10
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front Disc & Rear Disc

NEBO



ON ROAD PRICE WITH GST

Li-ion Rs. 85,126

Lead Acid Rs. 67,570



RAAKIT 100

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	60 Volt (28AH Lead/28AH Lithium)
	Range	80-900 Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
	Repair switch, parking mode, buzzer, reverse gear, side foot rest, foot mat, remote, alert and chrome mirror	
Dimensions & Capacity	Carrying Capacity	180 kg (for smooth roads)
	Length, Width, Height	1850 mm, 730mm, 1372mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lead-acid, Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	12 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 3,00-10/Rear 3,00-10
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front Disc & Rear Disc

ON ROAD PRICE WITH GST

Li-ion Rs. 76,023

Lead Acid Rs. 58,466

Components	Particulars	Details
Power & Transmission	Motor Type	BLDC Hub Motor
	Motor Power	250 Watt
	Battery Volt	72 Volt (30AH/32AH/34AH Lithium)
	Range	60-80 Kms (depends on battery)
	Transmission	Automatic
	Start	Keyless Self Start
Repair switch, parking mode, buzzer, reverse gear, side foot rest, foot mat, remote, alert and chrome mirror		
Dimensions & Capacity	Net Weight	180 Kgs
	Carrying Capacity	180 kg (for smooth roads)
	Length, Width, Height	1850 mm, 730mm, 1372mm
	Ground Clearance	175 mm
Electricals	Battery Type	Lithium
	Battery Capacity	KWH (depend on battery)
	Gradeability	12 Degree
	Head Lights	LED
	Top Speed	25 KMPH
Tyres & Brakes	Tyres Size	Front 17 inch/ Rear 17 inch
	Tyres Type	Tubeless
	Wheels Type	Alloy
	Front & Rear Brake	Front Disc & Rear Disc

CEO



ON ROAD PRICE WITH GST - Li-Ion

72V 30AH	72V 32AH	72V 34AH
Rs. 1,20,537	Rs. 1,23,090	Rs. 1,25,645



e-RICKSHAW

SPECIFICATIONS

SEATING CAPACITY	4 (Passengers) + 1 (Driver)	HEIGHT	1870 mm
CHARGING TIME	3-4 Hrs (Lithium) 5-6 Hrs (Lead-acid)	MOTOR WATAGE	900W (High Power)
SPEED	25Kmph	CHARGER	Lithium Ion or Lead Acid
MILEAGE	80-90 Kms*	SHOCK ABSORBER	Front Telescopic Rear Leaf Spring
BRAKES	Front Disc/Rear Disc	BATTERY	48V/135AH (Lead Acid)
LOADING CAPACITY	380 Kgs + 1 Driver	METER DISPLAY	Analogue Type
BODY TYPE	Iron Steel/SS	ROOF TOP	Best Quality - ABS Roof
FRONT RIM	Metallic Wheel	HEAD LIGHT	Rejulex/LED
FRONT TYRE SIZE	90-90-12	AUTO CUT OF CHARGER	YES
REAR TYRE SIZE	90-90-12	INDICATOR	LED (Front & Rear)
WIDTH	980 mm	CLIMBING DEGREE	15-20°
LENGTH	2790 mm		

ON ROAD PRICE WITH GST

Li-ion Rs. 1,89,999

Lead Acid Rs. 1,49,999

e-LOADER

SPECIFICATIONS			
SEATING CAPACITY	450 kGS	HEIGHT	1870 mm
CHARGING TIME	3-4 Hrs (Lithium)	MOTOR WATAGE	900W (High Power)
	5-6 Hrs (Lead-acid)	CHARGER	Lithium Ion or Lead Acid
SPEED	25Kmph	SHOCK ABSORBER	Front Telescopic
MILEAGE	80-90 Kms*		Rear Leaf Spring
BRAKES	Front Disc/Rear Disc	BATTERY	48V/135AH (Lead Acid)
LOADING CAPACITY	380 Kgs + 1 Driver	METER DISPLAY	Analogue Type
BODY TYPE	Iron Steel/SS	ROOF TOP	Best Quality - ABS Roof
FRONT RIM	Metallic Wheel	HEAD LIGHT	Rejulex/LED
FRONT TYRE SIZE	90-90-12	AUTO CUT OF CHARGER	YES
REAR TYRE SIZE	90-90-12	INDICATOR	LED (Front & Rear)
WIDTH	980 mm	CLIMBING DEGREE	15-20°
LENGTH	2790 mm		



ON ROAD PRICE WITH GST

Li-ion Rs. 1,94,999

Lead Acid Rs. 1,54,999



e-AUTO

SPECIFICATIONS			
SEATING CAPACITY	4 (Passengers) + 1 (Driver)	HEIGHT	1870 mm
CHARGING TIME	3-4 Hrs (Lithium)	MOTOR WATAGE	900W (High Power)
	7-8 Hrs (Lead-acid)	CHARGER	Lithium Ion or Lead Acid
SPEED	25Kmph	SHOCK ABSORBER	Front Telescopic
MILEAGE	80-90 Kms*		Rear Leaf Spring
BRAKES	Front Disc/Rear Disc	BATTERY	48V/135AH (Lead Acid)
LOADING CAPACITY	400 Kgs	METER DISPLAY	Analogue Type
BODY TYPE	Iron Steel	ROOF TOP	Best Quality - ABS Roof
FRONT RIM	Metallic Wheel	HEAD LIGHT	Rejulex/LED
FRONT TYRE SIZE	90-90-12	AUTO CUT OF CHARGER	YES
REAR TYRE SIZE	90-90-12	INDICATOR	LED (Front & Rear)
WIDTH	980 mm	CLIMBING DEGREE	15-20°
LENGTH	2790 mm		

ON ROAD PRICE WITH GST

Li-ion Rs. 2,19,999

Lead Acid Rs. 1,79,999

CHHOTU

ON ROAD PRICE WITH GST

Li-ion Rs. 74,999



Top Speed 25 km/hr*	Power < 249 watt	Charging time 4 hours*	Battery Manufacturer Waaree ESS	Controller <249 Watt Vector control sine wave controller	Controller Type Greenvolt Mobility with Texas instruments' chipset
Range 60 km* with a 75 kg payload	License Required No	Charger Specs 48V / 6A	Water resistant IP 67*	Dashboard Digital	Fast Charging NA
Payload capacity 200 kg	Icat Approved Yes	Battery size 48V / 23.2 Ah	Vehicle warranty 5 years*	Battery warranty 3 years*	Motor & Controller warranty 2 years*
Motor < 249 watt mid mounted, internal PMSM (Permanant magnet synchronous motor)	Motor make Greenvolt Mobility LLP	Transmission Chain drive	Wheel Type 16 inch spoke wheel	Tyre Tube tyres	Wheelbase 1250 mm
			Suspension Front Hydraulic telescopic with 100 mm travel	Suspension Rear Oil dampers with spring	Chassis Automotive grade mild steel frame
			Weight 70 kg	Seat Height 760 mm	Ground Clearance 165 mm
			Brake Type Drum Brake		

EV MANUFACTURING UNITS & MEGA SERVICE HUBS



Agartala
Anand
Balaghat
Bhatinda

Bolpur
Dungarpur
Faridabad
Gandhidham

Ghaziabad
Goa
Goalpara
Haidergarh

Indore
Jaipur
Jammu
Korutla

Lucknow
Mandsaur
Mathura
Meerut

Mohali
Nizamabad
Palghar
Rohtak

Udupi
Vadodra
Virudhnagar
Wardha

RTO APPROVED

HIGH SPEED E-2 WHEELERS



NEBO XNI

*Speed 65 Km/hr



HENITH

*Range 120 KM



DANGUS PLUS

*FAME II Subsidy starts from June 2023



DANGUS PRO



Marketed by:

Tesla Power India Pvt. Ltd.

DCG1-1004, 10th Floor, DLF Corporate Greens, Sector-74A,
Gurugram, Haryana-122004



Corporate Office:

e-Ashwa Automotive Pvt. Ltd.

H-133 First Floor Sector 63 Noida, Uttar Pradesh-201307